	SAFETY DATA SHEET		Page 1/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

## SAFETY DATA SHEET

### 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Name: SHERPA DUO  
Product code: SBM 06/025/01  
AT

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Insecticide

#### 1.3. Details of the supplier of the safety data sheet

Company name: AGRIA S.A..  
Address: Asenovgradsko shose, 4009 Plovdiv, Bulgaria.  
Telephone: +35932273500 E-mail: [agria@agria.bg](mailto:agria@agria.bg)

#### 1.4. Emergency telephone number

Emergency call 0–24 o'clock: 01 406 43 43  
Office hours: Monday to Friday, 8 a.m. to 4 p.m., Tel.: 01 406 68 98 (no medical information)

### 2 – HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### Classification following regulation (EC) N° 1272/2008 [UE-GHS/CLP]

Flam. Liq. 3	H226: Flammable liquid and vapour
Acute Tox 4	H302: Harmful if swallowed.
Asp. Tox. 1	H304: May be fatal if swallowed and enters airways.
Eye Irrit. 2	H319: Causes serious eye irritation.
STOT SE 3	H336: May cause drowsiness or dizziness.
Aquatic Acute 1	H400: Very toxic to aquatic life.
Aquatic Chronic 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling following regulation CE N° 1272/2008 [UE-GHS/CLP]

Hazard pictogram:




Signal word: DANGER

Hazard statements:

H226: Flammable liquid and vapour.  
H302: Harmful if swallowed.  
H304: May be fatal if swallowed and enters airways.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.  
H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.  
P102: Keep out of reach of children.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P235: Keep cool.  
P260: Do not breathe mist/vapours.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/ eye protection/face protection.  
P284: Wear respiratory protection.  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER.

	SAFETY DATA SHEET		Page 2/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

P331: Do NOT induce vomiting.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/ attention.  
P370+P378: In case of fire: Use water spray, dry powder, foam, carbon dioxide to extinguish.  
P391: Collect spillage.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.  
P501: Dispose of contents/container as hazardous waste.

Special provisions:

EUH066: Repeated exposure may cause skin dryness or cracking

EUH210: Safety data sheet available on request.

EUH401: To avoid risks to human health and the environment, comply with the instructions for use.

2.3. Other hazards


/

### 3 - COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

N°EINECS	CAS	N° REACH Registlation	Nom	Classification according to Regulation (CE) No. 1272/2008		%
257-842-9	52315-07-8	not applicable	CYPERMETHRINE CIS/TRANS 40/60	Acute Tox. 4 Acute Tox. 4 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H332 H302 H335 H400 H410	10 ≤ x < 12
200-076-7	51-03-6	01- 2119537431- 46-0000	PIPERONYL BUTOXIDE (PBO)	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	25 < x < 50
273-234-6	68953-96-8	01- 2119964467- 24-xxxx	Benzenesulfonic acid, mono-C11-13- branched alkyl derivs., calcium salts	Acute Tox 4 Skin irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H312 H315 H318 H411	2 < x < 5
201-148-0	78-83-1	01- 2119484609- 23-XXXX	Iso-Butanol	Flam. Liq. 3 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 STOT SE 3	H226 H335 H315 H318 H336	0,5 < x < 2
Not available	9046-09-7	Not available	Tributyl phenol polyglycol ether	Acute Tox 4 Eye Dam. 1 Aquatic Chronic 2	H302 H318 H411	2 ≤ x < 5
918-811-1	Not available	01- 2119463583- 34-0000	Hydrocarbons, C10, aromatics	Asp Tox 1 STOT SE 3 Aquatic Chronic 2	H304 H336 H411	25 < x < 50
202-049-5	91-20-3	01- 2119561346- 37-xxxx	Naphtalene	Acute Tox 4 Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H351 H400 H410 (M=1)	0,25 < x < 0,5

For the full text of H statements in this topic, see section 16.

	SAFETY DATA SHEET		Page 3/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

### 3.2. Mixtures

/

---

## 4 - FIRST AID MEASURES

### 4.1. Description of first aid measures

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

#### In the event of exposure by inhalation:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

Do not give the patient anything orally.

#### In the event of splashes or contact with eyes:

Wash abundantly with fresh water and clean during 15 minutes by maintaining the eyelids isolated.

Address the patient in an ophthalmologist, in particular if it appears a redness, a pain or a visual embarrassment.

#### In the event of splashes or contact with skin:

Take off contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

DO NOT use solvents or thinners.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital

#### In the event of swallowing:

In the event of swallowing, if the quantity is not very important, (not more than one mouthful), rinse the mouth with water and consult a doctor.

In the event of accidental ingestion call a doctor to judge appropriateness of a monitoring and a secondary treatment in hospital medium, if need be. Show this safety data sheet or the label.

### 4.2. Most important symptoms and effects, both acute and delayed

Systemic symptoms: Excitement, Gastrointestinal discomfort, Tremor, Dizziness, Headache, listlessness, nausea and vomiting, epigastric pain, muscular fasciculation of limbs.

Risks: This product/preparation contains a pyrethroid. Must NOT be confused with organophosphorus compounds.

Risk of entering the lungs on vomiting after ingestion.

### 4.3. Indication of any immediate medical attention and special treatment needed

Local treatment: Initial treatment should be symptomatic and supportive. After eye contact: instillation of local anaesthetics drops e.g. 1% Amethocaine Hydrochloride eye drops. Give Analgesics as necessary.

Systemic treatment: Endotracheal intubation should be done and gastric lavage performed, followed by administration of charcoal.

---

## 5 - FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable extinguishing media:

In the event of fire, use specifically adapted means of extinction: foams, carbon dioxide, powder, water spray or fine droplets.

#### Extinguishing media which must not be used for safety reasons:

Water jet.


### 5.2. Special hazards arising from the substance or mixture

#### Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:

Nitrogen and carbon oxides

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters:

	SAFETY DATA SHEET		Page 4/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus and full protection of the body.

#### Specific methods:

Isolate fire area and evacuate personnel.  
 Contain the extinguishing fluids (hazardous product to the environment).  
 Do not work without suitable protective equipment. Do not breathe fumes.

---

## 6 - ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid any contact with the skin and eyes. Wear appropriate protective equipment as described in Section 8 to prevent contamination of the skin, eyes and personal clothing.

Avoid inhaling the vapours.

Remove all sources of ignition.

Ventilate area if possible.

Evacuate the hazard area.

Consult the safety measures listed under headings 7 and 8.

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Use drums to dispose of waste recovered in accordance with applicable regulations (see heading 13).

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

### 6.3. Methods and material for containment and cleaning up

Block the drain. Clean preferably with a detergent, avoid the use of solvents

#### Elimination:

Dispose of materials or solid residues at an authorized site. Refer to section 13.

#### Additional advice:

Information regarding safe handling, see section 7.

### 6.4. Reference to other sections

7, 8 and 13.

---

## 7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

### 7.1. Precautions for safe handling

Keep container tightly closed.

Handle in well-ventilated areas.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Fire prevention:

Prevent the accumulation of electrostatic charges with connections to earth.

The preparation may become electrostatically charged; always place on the ground during transfer. Wear antistatic shoes and clothes and make floors of conductive materials.


Use the product in premises where there are no naked flames or other sources of ignition and has protected electrical equipment.

Keep packages tightly closed and away from sources of heat, spark and naked flames.

Use only non-sparking tools. Do not smoke.

Use explosion-proof electrical/ventilating/lighting equipment.

Prevent access by unauthorised personnel.

	SAFETY DATA SHEET		Page 5/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

### Recommended equipment and procedures:

- For personal safety, see §8.
- Observe precautions stated on label and also industrial safety regulations
- Avoid inhaling vapours.
- Avoid contact of product with the skin and eyes.
- Wash hands with water after handling the product.
- Remove contaminated clothing and protective equipment before entering eating areas.

### Prohibited equipment and procedures:

- Smoking, eating and drinking are prohibited in premises where the preparation is used.
- Never open the packages under pressure.

### Storage:

- Packaging material recommended: painted steel, plastic barrier coextruded PE / PA (PolyEthylene/PolyAmine).
- Store in a dry, well-ventilated place. Keep cool.
- Keep container tightly closed.
- Keep away from all sources of ignition - do not smoke.
- Keep well away from all sources of ignition, heat and direct sunlight.
- Keep out of the reach of children.
- Keep away from food, drink and animal foodstuffs.

### 7.3. Specific end use(s)

/

## 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

### 8.1. Control parameters

#### Exposure Limit Values

Substance	Form	VME		VLE		Observation	Source
		ppm	mg/m3	ppm	mg/m3		
C10 aromatic hydrocarbon, <1% naphthalene	Vapor	RCP-TWA: 17	100			Total hydrocarbons	ExxonMobil
Naphthalene		TWA: 10				skin	ACGIH

OELs = EH40/2002 Occupational Exposure Limits 2002.

No VLEP established for cypermethrin. As an information, there is a Valeur Moyenne d'exposition (VME) of 1 mg/m3 for natural pyrethrum.

### 8.2. Exposure control


Use of personal protective equipment as Directive 89/686/EEC.

#### Technical measures:

- Use technical measures (ventilation, local exhaust ventilation work) to keep airborne concentrations below exposure limits.
- Maintain the premises and workstations perfectly clean, clean frequently.
- Store personal protective equipment in a clean place, away from the work area.
- Remove soiled clothing immediately and do not re-use after complete clean.
- Always use clean and properly maintained personal protection equipment.
- Wash hands before breaks and immediately after handling the product.

#### Eye and face protection:

Wear safety glasses with side shields in accordance with EN 166 or equivalent. If exposure causes eye discomfort, use a respirator with a full facepiece.

	SAFETY DATA SHEET		Page 6/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.S.

#### Skin protection:

Avoid contact with skin.

Wear suitable protective clothing:

- In case of heavy splashing, wear chemical protective clothing impervious to liquids (type 3) in accordance with EN14605 to prevent skin contact.

- If risk of splashing, wear chemical protective clothing (type 6) conforming to NF EN13034 to prevent skin contact. Personnel shall wear regularly washed clothes.

After contact with the product, all soiled parts of the body should be washed.

#### Hand protection:

Wear gloves resistant and impervious to chemicals in accordance with EN 374 gloves. Due to the solvents present, it is recommended that neoprene rubber or nitrile rubber gloves be worn.

Wash hands systematically after handling the product.

Protective creams may be used for exposed skin, but they should not be applied after contact with the product.

#### Respiratory protection:

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction.

Where workers encounter concentrations higher than the exposure limits, they must wear suitable, approved masks.

(ex: masks type A filter cartridge against the vapors of organic compounds).

In case of insufficient ventilation, wear a half-mask according to EN 140, with a A2B2 filter according to EN 141 in conjunction with a particle filter P3 according to EN 143.

#### Environmental exposure controls:

/

## 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical State:	Limpid liquid
Color:	yellow
Odor:	Characteristic
Odor threshold:	No data available
Density (20 ° C):	985 - 995 g/dm <sup>3</sup>
pH 1%:	5 - 6
Solidification temperature:	not available
Boiling point / range:	not available
Flash point (°C):	57±2
Evaporation rate:	not available
Flammability (solid, gas):	not applicable
Upper Explosive Limit:	not available
Lower Explosive Limit:	not available
Vapour pressure:	not available
Solubility in water:	Insoluble - Emulsion
N-octanol/water partition coefficient:	not available
Auto-ignition temperature:	>400°C
Decomposition Temperature:	not available
Kinematic viscosity (40 ° C):	4,14 mm <sup>2</sup> / s
Explosive properties:	not explosive
Oxidizing properties:	not oxidizing


### 9.2. Other information

/

## 10 - STABILITY AND REACTIVITY

### 10.1. Reactivity

/

	SAFETY DATA SHEET		Page 7/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

## 10.2. Chemical stability

The product is stable under normal conditions of use and storage as described in section 7.

## 10.3. Possibility of hazardous reactions

/

## 10.4. Conditions to avoid

Very high temperatures

## 10.5. Incompatible materials

Bases, strong acids, strong oxidizing and reducing agents.

## 10.6. Hazardous decomposition products

Nitrogen and carbon oxides

---

## 11 - TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### In the event of exposure by inhalation:

- SBM 06/025/01:  
Acute toxicity: LC50 rat > 5,09 mg/L (4h)

#### In the event of swallowing:

- SBM 06/025/01:  
Acute toxicity: 300 < LD50 < 2000 mg/kg bw (rat)

#### In the event of splashes or contact with skin:

- SBM 06/025/01:  
Acute toxicity: dermal DL 50 rat: > 2000 mg/Kg  
Skin irritation: mild irritant  
Skin sensitization: not sensitizing

#### In the event of splashes or contact with eyes:

- SBM 06/025/01 :  
Eye irritation: causes serious eye irritation

#### Carcinogenicity:

Studies conducted with cypermethrin showed no carcinogenic effects.  
Piperonyl Butoxide non-carcinogenic.

#### Mutagenicity:

Cypermethrin: the studies showed no mutagenic effects (germ cell mutagenicity).  
Piperonyl Butoxide non-mutagenic.

#### Reproductive Toxicity:

Studies conducted on cypermethrin showed no effects on reproduction.  
Piperonyl Butoxide non-toxic to reproduction.

#### Developmental Toxicity:

Cypermethrin: Reduced litter size and pup weight at doses toxic to the mother.  
Piperonyl Butoxide non-teratogenic.

#### Specific target organ toxicity / single exposure:

/

#### Specific target organ toxicity / Repeated Exposure:


/

#### Other data:

##### • Cypermethrin:

##### - Toxicokinetics, metabolism and distribution:

Orally cypermethrin is significantly absorbed (50% in 24 hours), and distributed throughout the body, mainly in the skin and fat, before being metabolized (50% hydrolysed in acid and non-active alcohol derivatives). It is almost completely eliminated (> 90%) in 72 hours by the urine and faeces.

	SAFETY DATA SHEET		Page 8/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

## 12 - ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects. The product must not be allowed to run into drains or waterways.

Avoid release to the environment.

The following data correspond to the data of the substances cypermethrin and piperonyl butoxide, the data for the mixture are not available.

### 12.1. Toxicity

#### □ Data on CYPERMETHRIN:

##### Aquatic organisms :

Species	Results	Exposure (duration/conditions/Remarks)
Fish, <i>Onchorhynchus mykiss</i>	CL50 = 0,0028 mg/L	96h
Daphnies, <i>Daphnia magna</i>	CE50 = 0,0003 mg/L	48h
Algae, <i>Ps. subcapitata</i>	CE50 > 0,1 mg/L	96h

Substance highly toxic to fish and aquatic invertebrates.

##### Other organisms :

Species	Results	Exposure
Birds	DL50 acute > 10000 mg/kg p.c. CL50 dietary > 5620 ppm CSEO(NOEC) reproduction = 1000 ppm	Data not available
Earthworms	CL50 > 100 mg/kg soil Toxicity on reproduction : No effect on the field up to 100 g/ha.	14 days
Bees	DL 50 contact = 0,02 µg/bee DL50 oral = 0,035 µg/bee	24h 24h

Slightly toxic to birds and earthworms; highly toxic to bees.

Rapidly penetrates the insect cuticle and acts by opening the sodium channel.

##### Inhibitory effects on the activity of micro-organisms:

No adverse effects on the mineralization of carbon and nitrogen from the soil at a dose of 150 g / ha.

#### □ Data on PIPERONYL BUTOXIDE:

##### Aquatic organisms :

NOEC Chronic (Algae): 0,824 mg/l (*Selenastrum capricornutum*)

NOEC Chronic (Fish): 0,053 mg/l (*Cyprinodon variegatus*)

NOEC Chronic (Invertebrates): 0,030 mg/l (*Daphnia magna*).

LC50 - for Fish. 3,94 mg/l/96h *Cyprinodon variegatus*

EC50 - for Crustacea. 0,51 mg/l/48h *Daphnia magna*

EC50 - for Algae / Aquatic Plants. 3,89 mg/l/72h *Selenastrum capricornutum*

### 12.2 Persistence and degradability

#### □ Data on CYPERMETHRIN:

##### - Biodegradability :

Not readily biodegradable.

Degraded in the soil within 2 to 15 weeks (DT50) depending on the type of the soil.

Degradation is also faster under aerobic conditions.


##### - Abiotic degradation :

Stable in acidic medium (half-life  $\geq$  1000 days at pH 3), hydrolysis in alkaline medium (half-life  $\leq$  0.5h at pH11). Pure substance is stable to light, but degraded by photolysis in water (DT50 <15 days) and in the air (DT50 = 3.5h).

##### - Wastewater treatment:

Respiration inhibition of activated sludge: CL50 = 163 mg/L



	SAFETY DATA SHEET		Page 9/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

**Data on PIPERONYL BUTOXIDE:**

Solubility in water. 28,9 mg/l (20°C, pH 7,01); 30,7 mg/l (20°C, pH 4,6); 30,5 mg/l (20°C, pH 8,86)  
NOT rapidly biodegradable.

### 12.3. Bioaccumulative potential

• **Data on CYPERMETHRIN:**

log Kow = 5.3-5.6.  
BCF = 1204 High potential to accumulate in fat.

• **Data on PIPERONYL BUTOXIDE:**

log Kow = 4,8 (pH 6,5).  
FBC = 91 - 260 - 380

### 12.4. Mobility in soil

**Data on CYPERMETHRIN:**

Known or predicted distribution between environmental compartments:

Strongly adsorbed on soil, sediment and suspended particles.

Surface tension:

(no data)

Adsorption / Desorption:

Koc = 5800 - 160000. Not mobile in all types of soil, the substance remains fixed in the top 15 cm (field studies).

Volatility:

PV =  $2.3 \cdot 10^{-7}$  Pa à 20°C; substance is not considered VOC.  
H = 0.024 Pa.m<sup>3</sup>/mol; low potential for volatilization.

• **Data on PIPERONYL BUTOXIDE:**

The substance was found to show a mobility in soil between low and moderate.

### 12.5. Results of PBT and vPvB assessment

**Data on CYPERMETHRIN:**

This product is not a PBT or vPvB, or does not contain.

• **Data on PIPERONYL BUTOXIDE:**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Data not available.

## 13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:


Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### Local arrangements:

##### France:

The regulation relating to waste is codified in the CODE OF the ENVIRONMENT, according to the Ordinance n°2000-914 of September 18, 2000 relating to the Legislative part of the code of the environment.

	SAFETY DATA SHEET		Page 10/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

Various texts from article L. 541-1 to article L. 541-50 are in the Book V (Prevention of pollution, the risks and the harmful effects), Titre IV (Waste), Chapter I (Waste disposal and recovery of materials).

Waste code according to Decree 2002-540 of 18 April 2002 transposed into the Environmental Code:

- Waste Product code: 070400
- Packaging waste code: 150100

## 14 - TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO / IATA for air transport.

### 14.1. UN Number

UN 1993

### 14.2. UN proper shipping name

FLAMMABLE LIQUID, N.O.S. (CYPERMETHRIN, 10 %; PIPERONYL BUTOXIDE, 30 %)

### 14.3. Transport hazard class(es)

Transport Regulation	ADR/RID/ADNR	IMDG/OMI	IATA/ICAO
N° ONU	1993	1993	1993
UN Shipping name	FLAMMABLE LIQUID, N.O.S. (CYPERMETHRIN, 10 %; PIPERONYL BUTOXIDE, 30 %)	FLAMMABLE LIQUID, N.O.S. (CYPERMETHRIN, 10 %; PIPERONYL BUTOXIDE, 30 %)	FLAMMABLE LIQUID, N.O.S. (CYPERMETHRIN, 10 %; PIPERONYL BUTOXIDE, 30 %)
Labels	3	3	3
Hazard CLASS	3	3	3
Hazard code			
Marin pollutant		Y (Y/N)	
FS		F-A, S-F	

### 14.4. Packing Group

III

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYPERMETHRIN, 10 %; PIPERONYL BUTOXIDE, 30 %)

Very toxic to aquatic life with long lasting effects according to regulation CE N° 1272/2008 [UE-GHS/CLP].

### 14.6. Special precautions for user

/

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

/

## 15 - REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The classification of this preparation has been set up in accordance with Regulation EC N° 1272/2008 (CLP) and its adaptations.

Also taken into account Directive 2009/2 / EC with the 31 ° adaptation of directive 67/548 / EEC (Hazardous Substances).

#### Particular dispositions:

Nomenclature of classified installations (France):

Decree 2014-285 of March 3, 2014 amending the nomenclature of classified installations for environmental protection:


ICPE (UIC ref Circular 603 of February 3, 2014.): 1434, 4510

#### Tables of occupational diseases according to the Labor Code:

Table 4 bis, No. 84

### 15.2. Chemical safety assessment

/

	SAFETY DATA SHEET		Page 11/11
	In compliance with regulation (CE) n° 1907/2006 (REACH) modified by regulation (UE) 2015/830		
	Name: <b>SHERPA DUO</b>	Version N° :	2
		Date :	24/03/2022
	Creation date :	22/12/2021	
Product code :	SBM 06/025/01	Company :	AGRIA S.A.

## 16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information given on this safety data sheet must be regarded as a description of the safety requirements relating to our product and not a guarantee of its properties

### Full text of hazard statements appearing in section 3:

Acute Tox. 4	Acute Toxicity (category 4)
STOT SE 3	Specific target organ toxicity — single exposure (category 3)
Aquatic Acute 1	Harmful to the aquatic environment - Acute (category 1)
Aquatic Chronic 1	Harmful to the aquatic environment - Chronic (category 1)
Aquatic Chronic 2	Harmful to the aquatic environment - Chronic (category 2)
Asp. Tox. 1	Aspiration hazard.
Carc. 2	Carcinogenic (category 2)
Skin Irrit. 2	Irritating to skin (category 2)
Eye Dam. 1	Eye damage (category 1)

H 226	Flammable liquid and vapour.
H 302	Harmful if swallowed.
H 312	Harmful in contact with skin.
H 315	Causes skin irritation.
H 318	Causes serious eye damage.
H 304	May be fatal if swallowed and enters airways.
H 332	Harmful if inhaled.
H 335	May cause respiratory irritation.
H 336	May cause drowsiness or dizziness.
H 351	Suspected of causing cancer.
H 400	Very toxic to aquatic life
H 410	Very toxic to aquatic life with long lasting effects.
H 411	Toxic to aquatic life with long lasting effects.